




# **PROTECT**




By SUMMIT INTERNATIONAL, CANADA

**THE SURFACE PROTECTION CENTRE**

[summitcarpet.com/pro-protect](http://summitcarpet.com/pro-protect) (800) 461-8103

Spring 2020





Summit International has been a successful Distributor of PRO TECT® Surface Protection products for decades.

We have seen many competitors with cheaper and inferior products come and go.


Our products have proven to be of superior performance, value and we provide prompt service from local inventory to the construction and renovation industry.

We look forward to serving your company needs,



Robert A. Palmer, Sr.  
President

# TOP 4 PRODUCTS



[www.summitcarpet.com](http://www.summitcarpet.com)





## pg. 1-7

PRO TECT® for CARPET  
FINISHED FLOOR GUARD®  
PRO TECT® RUNNER  
WR HARDBOARD™  
POLYCRAFT MASK®  
TACKY MAT®  
PRE-TAPED DRAPE

\*SAMPLES AVAILABLE UPON REQUEST



## pg. 8-13

MULTI-USE RED®  
PRO TECT® CLIP & SNAP  
EZ PROP®  
PRO TECT® ZIPPER  
DOOR SHIELD  
JAMB PROTECTORS  
CORNER GUARD



## pg. 14-19

LIQUID MASK®  
WINDOW FILMS  
SHOE BOOTIES  
PRO TECT® PROVENT  
PRO TECT® TAPE  
PRO TECT® UV TAPE  
PRO TECT® EXTENDED LIFE TAPE  
ROSIN PAPER  
WR FLOOR GUARD



## pg. 20-25

TRAFFIC GUARD  
SAFETY BOOT RAIL SYSTEM  
PRO TECT® CPBOARD  
KRAFT BOARD  
PRO TECT® PARTITIONS  
NEOPRENE RUNNER  
PRO TECT® WINDOW FILM 360

**CARPET**  
**pg. 26**





## **PRO TECT® for CARPET**

*PRO TECT® for CARPET* can be left in place for up to 45 days on all grades of carpet. Its self-adhering clear poly-film protects against damage from spills, dirt and foot traffic and is highly resistant to tears and punctures. Each roll is reverse wound for easy installation. The water-based adhesive is safe for use on all grades of carpet. Available in eight builder friendly sizes.

**PRO TECT® CARPET DISPENSER\*** is the fastest way to apply this product. Use our smaller dispenser for the 24", 30" and 36" roll widths and our larger dispenser for the 36", 48" and 60" roll widths.

Item No.	Description	Weight
PC24-200	24" X 200' roll, 400 ft <sup>2</sup>	8 lbs.
PC24-500	24" X 500' roll, 1000 ft <sup>2</sup>	17 lbs.
PC30-200	30" X 200' roll, 500 ft <sup>2</sup>	10 lbs.
PC36-200	36" X 200' roll, 600 ft <sup>2</sup>	12 lbs.
PC36-500	36" X 500' roll, 1500 ft <sup>2</sup>	23 lbs.
PC48-200	48" X 200' roll, 800 ft <sup>2</sup>	16 lbs.
PC48-500	48" X 500' roll, 2000 ft <sup>2</sup>	33 lbs.
PC60-500	60" X 500' roll, 2500 ft <sup>2</sup>	42 lbs.
PCD243036*	Multi 24", 30", 36" Dispenser	16 lbs.
PCD364860*	Multi 36", 48", 60" Dispenser	22 lbs.

## **PRO TECT® ADVANTAGE:**

- 1. Strong enough adhesive to keep it right where you need the protection.**
- 2. Water-based adhesive which is safe to use on all grades of carpet, including wool, when used in accordance with PRO TECT® standards**



**PRO TECT® RUNNER®**

*PRO TECT® Runner® is designed for high-traffic areas and high quality floor surfaces and countertops that need extra protection. It protects hardwood floors, hard tile, granite, marble, as well as resilient tile and linoleum floors. This product stays in place and the non-porous fabric with rubber backing helps protect finished surfaces from moisture and spills. Also allows surfaces to breath while being protected. PRO TECT® Runner® is reuseable.*

Item No.	Description	Weight
PR24-050	24" X 50' roll, 100 ft2	12 lbs.
PR24-100	24" X 100' roll, 200 ft2	24 lbs.
PR24-150	24" X 150' roll, 300 ft2	34 lbs.
PR36-050	36" X 50' roll, 150 ft2	19 lbs.
PR36-100	36" X 100' roll, 300 ft2	35 lbs.
PR36-150	36" X 150' roll, 450 ft2	52 lbs.
PR48-050	48" X 50' roll, 200 ft2	25 lbs.
PR48-100	48" X 100' roll, 400 ft2	46 lbs.
PR48-150	48" X 150' roll, 600 ft2	65 lbs.



**PRO TECT® ADVANTAGE:**

- 1.** Durable, reusable, stays in place
- 2.** Rubber backing helps protect surface from moisture and spills



## **FINISHED FLOOR GUARD®**

*Finished Floor Guard® is perfect for finished hardwood stairs and floors, tile, granite, marble, countertops and stair protection. It provides up to 100 days of protection that stays in place and helps protect from scratches, paint spills, and foot traffic. Durable, breathable, reusable and perfect for indoor use; designed for high-traffic areas and high-risk floor surfaces that need extra protection. Reverse wound for easy installation. Simply cut to size and lay in place.*

Item No.	Description	Weight
FL24-100	24" x 100' roll, 200 ft2	9 lbs.
FL36-100	36" x 100' roll, 300 ft2	13 lbs.
FL48-100	48" x 100' roll, 400 ft2	18 lbs.



### **PRO-TECT ADVANTAGE:**

- 1. Durable, breathable, reusable**
- 2. Stays in place down hardwood stairs.**





**REPELS WATER  
up to 72 hrs**

Eco-friendly substitute  
for Masonite

**WR HARD  
BOARD**  
WATER RESISTANT  
by **PRO TECT®**  
THE SURFACE PROTECTION LEADER




Roll Size: 36" x 100'  
www.pro-TECT.com • PART NO: PTHBWR36-100  
LEED Certified  
100% RECYCLED MATERIALS  
MADE in U.S.A. with Self-fused Fiber Board

**PRO TECT® WR HARDBOARD**

This new water resistant temporary floor protection can be used to protect wood, tile, marble, concrete - any hard surface area. This heavy-duty, 44-mil flexible board, comes in 36" x 100' rolls and lays flat. Don't spend all your time taping cardboard together; PRO TECT® WRHARDBOARD allows you to cover and protect the surface in half the time. Seam tape available.

Item No.	Description	Weight
PTHBWR	50-mil flexible board, 36" x 100'	45 lbs.
CKST-134-04	3" x 60 yards Hardboard Seam Tape	1.5 lbs.



**PRO TECT® ADVANTAGE:**

- 1. Safe for Scissor Lifts and Fork Lifts**
- 2. 100% Recyclable**





**PROTECT<sup>®</sup> PRE-TAPED DRAPE**

**1 1/4" & 5/8" Masking Tapes**  
UV treated, rubber adhesive that protects and peels for up to 14 days.

**.045 mil film**  
HDPE with treated static cling and significant particle anchorage of dust and moisture

Protects against paint splatter or drips

**PROTECT<sup>®</sup> Pre-Taped Drape** comes in three convenient sizes for PROTECTing paneling, columns, wall treatments, bars, cabinets, counters, entertainment casework, furniture centers, fireplaces, mantles, mirrors, glass, stone, masonry, fixtures, appliances, baseboards, and more...

The attached tape makes masking easy. Folded sheeting stays out of the way until the taping is done. Save time and money by protecting your finished surfaces from paint splatter and/or dust.

Item No.	Description	Weight
PTD024	1 Roll, 24" x 72' Pre-Taped drape	1.1 lbs.
PTD048	1 Roll, 48" x 72' Pre-Taped drape	1.4 lbs.
PTD072	1 Roll, 72" x 72' Pre-Taped drape	1.8 lbs.
PTD096	1 Roll, 96" x 72' Pre-Taped drape	2.0 lbs.
PTD120	1 Roll, 120" x 72' Pre-Taped drape	2.3 lbs.
PTD144	1 Roll, 144" x 72' Pre-Taped drape	2.6 lbs.




#### Step One

Holding roll along edge to be taped, carefully position tape along top edge of surface to be protected.




#### Step Two

After using the entire roll or cutting the roll to the desired length, begin unfolding the sheeting to protect the wall, column, cabinet, etc.



#### Step Three

You will notice static cling helping the sheeting stay in place. You may smooth it out as you go or wait until step four.



#### Step Four


After unfolding the sheet completely, smooth the sheeting into its final position. If adding another section. Overlap sheeting by 3 to 4 inches.



**POLY-CRAFT MASK®**

Tired of having to replace red rosin paper? PRO TECT® Poly-Craft Mask consists of a three-ply protection system: a fiberglass mesh between a 40-pound craft paper and a polyethylene sheet. Water proof and tear resistant. Perfect for hardwood floors, tile, vinyl, marble, any hard surface. Quickly becomes a must-have product for quick on the job protection. 100 times stronger than rosin paper.

Item No.	Description	Weight
PCM3-200	36" x 200' roll, 600 s.f.	18 lbs.
PCM6-300	6' x 300' roll, 1800 s.f.	46 lbs.



**PRO TECT® ADVANTAGE:**

- 1. 100 times stronger than rosin paper**
- 2. Water proof and tear resistant**





## **TACKY MAT®**

Stop dust and dirt from being tracked through your jobsite, models or home. Tacky Mats® come with thirty (30) disposable tacky sheets per mat and two (2) mats per box. When the top sheet becomes soiled, simply peel away (sheets are numbered for easy reordering). They are excellent for stopping drywall dust and light dirt from entering or leaving your jobsite. There is also a tacky mat dispenser available for the 3' x 2' mat. Available in blue or clear.

Item No.	Description	Weight
PTM-2-3624-C	2 sets of 30 sheets, 3' x 2' - clear	7 lbs.
PTM-2-3624-B	2 sets of 30 sheets, 3' x 2' - blue	7 lbs.
PTM-4-2445	4 sets of 30 sheets 2' x 3.75'	24 lbs.
PTMM	Mat Mount for 3' x 2'	10 lbs.
(allows use of Tacky Mats on hardwood, tile and carpeted floors)		



## **PROTECT® ADVANTAGE:**

- 1. Catches even the finest dust**
- 2. Comes in 30 sheet mats for easy changing and reordering**

**MULTI-USE RED**

*Multi-Use Red* is a 2-mil. polyethylene film with slip-resistant protection for almost any hard surface. It protects your surface from dirt, grime and spills and is resistant to scuffs and abrasions. This product is excellent for protecting laminated plastic tile, vinyl, granite counter-tops, appliances, glass or almost any factory finished surface and is reverse wound for easy application. FIVE convenient builder-sizes are available.

Item No.	Description	Weight
PMR24-200	24" X 200' roll, 400 ft <sup>2</sup>	8 lbs.
PMR24-500	24" X 500' roll, 1000 ft <sup>2</sup>	13 lbs.
PMR36-200	36" X 200' roll, 600 ft <sup>2</sup>	10 lbs.
PMR36-500	36" X 500' roll, 1500 ft <sup>2</sup>	22 lbs.

**PRO TECT® ADVANTAGE:**

- 1.** Prevents dust from getting in those hard to clean places.
- 2.** Slip resistant protection for almost any hard surface.





### **PRO TECT® CLIP & SNAP - BLUE**

These clips allow you to hang any mil poly from any commercial drop ceiling. Simply attach the top of the clip to the “t-bar” on the drop ceiling, push the poly over the pin and then attach the stopper. In just minutes you can eliminate damage, clean-up cost and save money.

**Item No.**  
PTCSB-1

**Description**  
1 Clip & Snap Fastener

**Weight**  
n/a

### **PRO TECT® CLIP & SNAP - RED**

PRO TECT®’s New CLIP & SNAP fasteners allow you to hang your poly sheeting from any building component. It comes with a 10” releasable cable tie that can be attached to poles, bars, wood, scaffolding, etc.

**Item No.**  
PTCSR-1


**Description**  
1 Clip & Snap Fastener

**Weight**  
n/a

### **PRO TECT® ADVANTAGE:**

- 1. Durable, reusable**
- 2. Create a dust barrier in less time**





soft clear pads = NO CEILING MARKS



## **EZ PROP®**

PRO TECT® EZ PROP® is made of steel and holds up to 170 pounds. Perfect for sealing off rooms by creating temporary dust control partitions and enclosures (pop the pins from the top of the pole, place plastic over pad, pop pins back in place). Holds up your drywall, building construction sheeting, cabinets, stairs, decorative boxbeams, cornice molding and most anything you need an extra hand to hold. Spreads warped jambs or lifts a door header jamb while it's being reset. Use in your truck to divide a load of sheeting or as a cargo bar to keep materials secure. EZ PROP® is the perfect, multi-use, temporary brace, for on-the-job projects.

Item No.	Description	Weight
EZP-10-2	5'3" to 10' E-Z Prop poles (set of 2)	10 lbs.
EZP-16-2	6'8" to 16' E-Z Prop poles (set of 2)	15 lbs.

## **PRO TECT® ADVANTAGE:**

- 1. Long Lasting Steel construction - NOT aluminum**
- 2. Many uses - NOT a flimsy prop**

**YOU HAVE ACCESS  
CONSTRUCTION DIRT DOESN'T**

## **PRO TECT® ZIPPER**

PRO TECT® Zipper is the easiest and most economical way to provide a temporary entry and exit. Double-sided zipper attaches permanently to your plastic sheeting, allowing you to create any size or shape entry. This is the best all-weather entry/exit system for sites that need protection against unwanted dust, dirt, and heat loss. Installation takes a matter of minutes and requires no special tools:

### **Easy Installation**

1. Peel paper backing from zipper and apply to the plastic sheeting.
2. Cut the opening with a utility knife using the zipper as your guide.
3. Roll up the cut-out flap and secure with the provided tie backs.

#### **Item No.**

ZPU-7.25

EZP1-7.25 Red

#### **Description**

1 – Pair, 7' Zippers

1- Pair, Heavy Duty, Zipper

#### **Weight**

1 lbs.

1 lbs.




## **PRO TECT® ADVANTAGE:**

- 1. Make custom-size entries between the dust and dust-free zones**
- 2. EASY to install!**

**DOOR SHIELD®**

Protect the doors on your next remodeling or construction site. This double corrugated board is fast and easy to install, plus it's re-usable. Simply drape and center the Door Shield® over the top of the door and it becomes a pre-engineered, reusable door protection system that effectively shields both sides of any door. Fits 3' x 6.8' or 3' x 7' doors. Custom sizes available for special order from 2' to 4' wide and 6'-8 to 8'-0 tall.

Item No.	Description	Weight
PTDS.3070M	Dble. Corrugated fits 3', 2'8" x 7', 6'8"	8 lbs.
PTDS.3080M	Dble. Corrugated fits 3', 2'10" x 8', 7'6" or 7'	9 lbs.
PTDS.4080M	Dble. Corrugated fits 4' x 8'	11 lbs.
PTDS200-3070M	Single Corrugated fits 3', 2'8" x 7', 6'8"	6 lbs.

**PROTECT® ADVANTAGE:**

- 1. No added time back on the job-site, fixing damage**
- 2. Door is fully functional at all times**







### **A. FPB JAMB PROTECTOR**

For temporary protection against gouges, nicks and scratches during construction, use these sturdy cardboard counterparts. Prevent damage to vulnerable door jambs and trim on the work site. Pallet pricing available.

Item No.	Description	Weight
FPB42-1	1 (one) FPB Jamb Protector, 4.5 - 7" x 42"	2 lbs.

### **B. PVC JAMB PROTECTORS**

Guards against gouges, nicks and scratches during construction. These preformed snap-on sections are rigid and durable, offering heavy duty protection for wood or steel door jambs and window sills. Prevents damage to vulnerable door jambs and trim on the work site. They are made of heavy duty plastic and completely reusable. Excellent for protecting window sills and jambs while bringing in drywall.

Item No.	Description	Weight
JP1-069	jamb protector, 4.5"-9"x 3.25" x 69"	4.5 lbs.

### **C. CORNER GUARD**

*PROTECT® Corner Guard* is the right product for temporary protection for corners vulnerable to damage during remodeling or construction. Corner Guards are the perfect re-usable solution for protecting any 90 degree corner on the jobsite. Each is made of a .160 HEAVY DUTY CARDBOARD.

Item No.	Description	Weight
PCCG-1	Cardboard Corner Guard 48"x 2"x 2"	1 lb.

### **PROTECT® ADVANTAGE:**

- 1. Durable, reusable**
- 2. Heavy duty protection**

**PRO TECT® ADVANTAGE:**

1. 30-mil. protection to preserve that new tub finish
2. Can be applied with an airless sprayer or brushed on in two coats

**LIQUID MASK**


This durable liquid mask forms a “tough latex glove” over hard-to-cover surfaces providing 30-mil. protection for tubs, showers and other highly polished surfaces like porcelain, enamel, fiberglass, acrylic, metal and glass.

*PRO TECT® Liquid Mask* offers a great way to protect Bath tubs, Whirlpools, Soaking tubs and Shower Basins during construction when chips, scratches and burns can ruin finishes.

**APPLICATION:**

*PRO TECT® Liquid Mask* is a water based, single component material that can be applied in one coat with an airless sprayer or in two coats with a foam or sponge brush. It dries in a matter of hours and offers reliable protection with the recommended 30-mil. thick application, which enhances the peelability of the mask.

Item No.	Description	Weight
PLM-001B	1 gal., covers approx. 2 - 5' tubs	10 lbs.
PLM-005B	5 gal., covers approx. 10 - 5' tubs	43 lbs.





## WINDOWS 45

This 2 mil. self-adhering polyethylene stays in place to protect your windows, window frames and glass from over-sprays, mortar stains, muriatic acid and more. The clear film allows light in, making it easier to work in the room while protecting your windows. It is safe to leave on surfaces for up to 45 days - indoors and outdoors.

Item No.	Description	Weight
PW24-200	24" x 200' roll, 400 ft2	6 lbs.
PW24-500	24" x 500' roll, 1000 ft2	13 lbs.
PW36-200	36" x 200' roll, 600 ft2	10 lbs.
PW36-500	36" x 500' roll, 1500 ft2	18 lbs.
PWD-1	Multi-size 24", 36" dispenser	8 lbs.

## WINDOWS 180

This 2 mil. self-adhering blue polyethylene provides 180 days of protection without leaving a residue. Save time and money by protecting window glass, window frames, countertops, cabinets, lexan™, extruded vinyl, or any factory finished surface.

Item No.	Description	Weight
PW180-24	24" x 500' roll, 1000 ft2	14 lbs.
PW180-36	36" x 500' roll, 1500 ft2	20 lbs.
PWD-1	Multi-size 24", 36" dispenser	8 lbs.



**PROTECT or  
PAY for the clean up**





***PRO TECT® SHOE BOOTIES***

These aren't your old cloth booties. PRO TECT® Shoe Booties are made of 3-mil. plastic which makes them slip resistant and able to hold moisture from your shoe inside the bootie. Help prevent scuffs, heel marks and foot traffic dirt at the source. This simple but effective plastic cover fits over shoes and larger work boots to protect carpet, hard surface floors and other walking areas.

Item No.	Description	Weight
PBLW-050	50 pair, One size fits all	3 lbs.


***DIAMOND GRIP SHOE BOOTIE***

This heavier version is made of heavy grade lint-free 9 mil. polylatex film and its seamless design allows outstanding liquid protection with a better grip. Fits over all shoes and work boots to protect carpet and hard surface floors.

Item No.	Description	Weight
PBDG-050	50 pair, 9-mil., One size fits all	2 lbs.

***PRO-TECT ADVANTAGE:***

- 1. Seamless construction***
- 2. Water and dirt stay off your floors***



## PRO TECT® PROVENT

*PRO TECT® PROVENT keeps dirt, dust and debris from entering your duct work. No more going back after the job to clean each duct. Each PROVENT fits over rough-in duct work, allowing the running of either air or heat.*

Item No.	Description	Weight
PV-10	(10) 6" x 14" vent guards	4 lbs.
PV-25	(25) 6" x 14" vent guards	9 lbs.
PV-50	(50) 6" x 14" vent guards	18 lbs.
PV-100	(100) 6" x 14" vent guards	31 lbs.

LOGO FEE - CALL FOR QUOTE

## PRO TECT® ADVANTAGE:

*REUSABLE, simply clean and take them to the next project*



## WR FLOOR GUARD

*WR FLOOR GUARD Protects hardwood, tile and concrete floors from water damage due to construction, reno's and/or foot traffic.*

*WR Floor Guard is a 16 mil anti-slip extra thick, water resistant paper that acts like a shield, protecting your finished floors from water, mud, snow, paint, abrasion and impact. All while remaining vapour permeable.*

*Important! Although WR Floor Guard is vapour permeable make sure floor to be covered is dry. Trapping moisture under the paper will alter the curing time and might cause damage to the floor being protected.*

Item No.	Description	Weight
AEFL40-120	16-mil 40" x 120'	20 lbs.



***PRO TECT® TAPE***

This tough-skinned 6-mil. poly-vinyl tape will stand up to traffic, dirt and also help prevent water damage. It is excellent protection for door thresholds, trim, hardware, fixtures and glass to prevent needless dirt, scratches, and abrasions. It stays in place yet removes easily without leaving an adhesive residue.

Item No.	Description	Weight
PT6B-2S	2" x 108' (36 yds.)	1 lbs.
PT6B-3S	3" x 108' (36 yds.)	1 lbs.
PT6B-4S	4" x 108' (36 yds.)	2 lbs.
PT6B-6S	6" x 108' (36 yds.)	2.5 lbs.



***PRO TECT® 5 Mil Yellow Tape (UV & Adhesive)***

New!!! UV poly-film and UV adhesive makes this 5 mil yellow tape a step above anything else on the market. Use this tape when protecting: metal thresholds, window frames and sills; designed to protect door and window frames, metal jambs and or other metal finishes that need protecting. Pro Tect Yellow Tape will stand up to traffic, dirt, and muriatic acid wash. It can be left in place for up to 180-days.

Item No.	Description	Case Qty.	Weight
PT5Y2-200	1-2" x 200' (66.66 yds.) Yellow	24	2 lbs.
PT5Y3-200	1-3" x 200' (66.66 yds.) Yellow	16	2 lbs.
PT5Y4-200	1-4" x 200' (66.66 yds.) Yellow	12	2 lbs.
PT5Y6-200	1-6" x 200' (66.66 yds.) Yellow	8	2 lbs.
PT5Y12-200	1-12" x 200' (66.66 yds.) Yellow	4	2 lbs.





### ***30 Day Premium Blue “painter’s” TAPE***

Premium Blue Tape can be left on any surface up to 30 days without worrying about leaving adhesive residue or pulling up finish. It is excellent for masking door hardware, light fixtures, baseboards, glass, trim and other finishes. Always test product for suitability.

Item No.	Description	Weight
CPT118-08S	1 (one) 2” x 180’	1 lbs.
CPT118-08	(24) 2” x 180’	16 lbs.

### ***ROSIN PAPER***

Rosin Paper has been a staple in the Building and Remodeling industry for decades. It is water resistant and won’t stain or bleed through onto covered surfaces. Cover any surface you want... counter-tops, hardwood floors, tile and marble. Use our Extended Life Tape below to hold Rosin paper in place.

Item No.	Description	Weight
PTRP	36” x 144’ roll, 432 ft2	13 lbs.

### ***10 Day Premium Green “painter’s” TAPE***

Similar to our Blue Tape this product is great for a variety of applications. Clean removal after 10 days, always test the product for suitability.

Item No.	Description	Weight
CPT109-07S	2” x 180’	1 lbs.
CPT109-07	(24) 2” x 180’	16 lbs.

**PRO TECT® TRAFFIC GUARD**

PRO TECT Traffic Guard is a fire retardant heavy duty floor and wall protection product. The perfect product for protecting hard or soft floors during the job. PRO TECT Traffic Guard is used to protect: counter-tops, cabinets, wainscots; preserve concrete finishes, brick, stone, terrazzo, tiles, resilient floors in hospitals, offices, condominiums, institutional structures and Residential construction. OSHA Orange with slip resistant surface, it comes in thicknesses of 13-25-40 mil. PRO TECT certified: if we say it is good, you know it is great.

Item No.	Description	Weight
PTGFR.13OD36-300	1-roll, 13-mil, 36" x 300', 900 s.f.	56 lbs.
PTGFR.13OD72-300	1-roll, 13-mil, 72" x 300', 1800 s.f.	112 lbs.
PTGFR.25OD36-150	1-roll, 25-mil, 36" x 150', 450 s.f.	55 lbs.
PTGFR.25OD72-150	1-roll, 25-mil, 72" x 150', 900 s.f.	110 lbs.
PTGFR.40OD36-100	1-roll, 40-mil, 36" x 100', 300 s.f.	58 lbs.
PTGFR.40OD72-100	1-roll, 40-mil, 72" x 100', 600 s.f.	116 lbs.





## ***SAFETY BOOT GUARDRAIL SYSTEM***

The fully reusable Safety Boot allows contractors to quickly construct free-standing OSHA-compliant, temporary guardrail systems for stairways, ramps, walkways, balconies and roofs. Use jobsite tools, fasteners and construction grade 2 x 4's to construct the most cost effective solution for temporary guardrails on the market today. Each boot is made of high-impact polymer and has built-in flanges allowing toeboards to be quickly inserted without fasteners. Toeboards can be lifted out temporarily to bring up material and for clean-up.

**Item No.**  
PTSBRS

**Description**  
single boot (use with 4x4 or 2x4)

**Weight**  
4 lbs.



### ***PRO TECT® ADVANTAGE:***

- 1. Made to last with high-impact polymer***
- 2. Makes it EASY to make an OSHA compliant railing***



***Kraft Board***

Large jobs require an inexpensive solution that can cover large areas with ease. These 4' x 8' x 3/16th sheets are available in skids of 250 (Min. order) and work well with our 10 day painters tape. This product is 100% recycled and can be recycled again after the job is completed.

**Item No.**  
SKC-250

**Description**  
1/8" x 4' x 8' Corroplast Sheets

**Weight**  
n/a

***Coroplast Board***

A must have for Hospital and Gov jobs. *Pro Tect CPBoard* can be used in a variety of places where surface protection is essential. Extremely durable, it is well suited for Elevator Walls and Wainscots, Temporary Partitions, Columns and Counter Tops and heavy traffic from forklift and sizerlifts. It is also resistant to stains and most chemicals, and is waterproof. *CPBoard* isn't just for flat surfaces cut one side of the board without compromising the strength of the other, any curve or corner can be protected.

**Item No.**  
PCPB-250

**Description**  
1/8" x 4' x 8' Corroplast Sheets

**Weight**  
n/a



## ***Innovative Products for Clean Construction PROTECT ENVIRONMENTAL PARTITIONS***

- Our light weight modular panels assemble quickly without the use of tools.
- Panels adjust in height from 7'-8" to 10'-0".
- We offer 12", 24", 36" and 48" wide panels.
- Door panels have a hydraulic closer and lever style lockset with standard 2 ¾" backset. We also offer a programmable push button lockset.
- Hinged corner posts allow for angled configurations.
- We offer Porting options on our 24" panels for 8" diameter and 10" diameter HEPA exhaust with a differential pressure monitoring option.
- Custom Engineered camlock fasteners join panels together. Custom grid clips secure panels to ceiling "T" bar grid.
- One person can typically set up a 2' x 12' enclosure in less than an hour. Breakdown in less than a half hour.
- Our Environmental Partition is reusable and is labor saving when compared to using metal studs and drywall.
- The panels allow light to pass through creating a pleasant, safe work environment without the need of added temporary lighting. When exiting the enclosure pedestrian traffic can be seen avoiding collisions.
- Panels are easily cleaned and sanitized.



### **NEOPRENE RUNNER**

Keep your jobsite floors and counters safe from damage and debris! Neoprene Runner is the ultimate reusable surface protector for the professional. It rolls out flat and clings to floors with a non-adhesive, slip resistant backing. Product is available in Red or Blue (Depending on stock availability)

#### **Item No.**

NPR27-12

NPR27-30

NPR27-180

#### **Description**

Neoprene Runner 27" x 12'

Neoprene Runner 27" x 30'

Neoprene Runner 27" x 180'

#### **Weight**

5 lbs.

10 lbs.

65 lbs.







***PRO TECT®'s WINDOW FILM 360***

(5mil. self-adhering polyethylene) stays in place to protect your windows, window frames and glass from over-sprays, mortar stains, muriatic acid and more. The film allows light in, making it easier to work in the room while protecting your windows. It is safe to leave on surfaces for 360 days. Save time and money by protecting window glass, window frames, countertops, cabinets, lexan™, extruded vinyl, or any factory finished surface.

Item No.	Description	Weight
PT365-24-200	24" x 200', UV 365 Day Film	8 lbs.
PT365-36-200	36" x 200', UV 365 Day Film	17 lbs.
PT365-48-200	48" x 200', UV 365 Day Film	23 lbs.




### ***Company Overview***

Summit International can provide “Full Service” Carpet and Flooring for new projects or renovations across Ontario. Serving Residential and Commercial Customers since 1971, Summit International Canada offers a wide variety of flooring options including Solid Hardwood, Engineered Hardwood, Laminate, Carpet, Luxury Vinyl Planks, Tiles, Cork and much more. We can Lift, Dispose and Install.

With products by companies such as

- Armstrong™
- Bruce™
- Coswick™
- Duraceramic™ L.V.T.
- Tarkett™ L.V.T.
- Epico Forest Products™
- Godfrey Hirst™
- Goodfellow™
- Greentouch™
- Fuzion Flooring™
- Kraus™
- McMann™
- Mohawk™
- Peerless™
- Royal Image™
- Shaw™
- Sherwood Forest Products™
- Shnier™

Summit International Canada can offer their clients a wide selection of quality products with competitive pricing, we work with manufacturers world-wide and also local distributors. Whether you are doing a one-room renovation or are working on an entire commercial building, Summit has you covered. Please Contact us for a quotation on your flooring requirements.



**Summit International** offers several ways to place orders and to receive product information.

**FAX** orders 24hrs. a day  
**CALL IN** orders

**905-420-3656**  
**800-461-8103**

**EMAIL** orders 24hrs. a day  
Visit our website

**[protect@summitcarpet.com](mailto:protect@summitcarpet.com)**  
**[www.summitcarpet.com](http://www.summitcarpet.com)**

## DISTRIBUTORS WANTED

### Payment

We accept cheque, COD, open accounts and major credit cards.



### Shipping



Warranty: The following is made in lieu of all warranties, expressed or implied, including the implied warranties of merchantability and fitness for purpose. Seller's and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Before using, user shall determine the suitability of the product for its intended use, and users assumes all risk and liability whatsoever in connection therewith. Neither seller or manufacturer shall be liable either in tort or in contract for any loss or damage, direct, incidental, or consequential, arising out of the use of or the inability to use the product.

Order by phone by calling **800.461.8103**



SUMMIT INTERNATIONAL  
9-1750 PLUMMER ST  
PICKERING ON L1W 3L7

